

-MOTORES CAJA LARGA-

	U.M.S	R.P.M.	Voltaje.	Par	Consumo
Avant Slot Hunter _____	10,50	25.000	14 v.		230 ma.
Avant Slot Quad _____	10,50	25.000	14v.		230 ma.
Avant Slot Hunter CS/RS ___	10,20	25.000	14 v.		230 ma.
Avant Slot Hurricane _____	9,40	27.000	14 v.		200 ma.
Avant Slot Republic _____	7,40	25.000	14 v.		230 ma.
Avant Slot Sprint _____	6,00	35.000	14 v.		180 ma.
Avant Slot Master _____	3,00	25.000	14 v.		220 ma.
Avant Slot Endurance _____	1,40	25.000	14 v.		240 ma.
BBR Models _____	10,20	23.000	12 v.		210 ma.
BRM T-RS _____	11,00		12 v.		
BRM T-RS evo _____	11,00	25.000	12 v.		
BYCMO byc451013 _____			12 v.		
Cartrix TX6 Phanton _____	6,80	26.000	15 v.	330 gr.	200 ma.
Cartrix TX4 _____	6,50	20.000	15 v.	330 gr.	180 ma.
Cartrix TX4 Plus _____	6,50	20.000	15 v.	330 gr.	180 ma.
Cartrix TX5 _____	4,70	27.000	15 v.	310 gr.	200 ma.
Cartrix TX2 _____	1,10	18.600	15 v.	275 gr.	180 ma.
Cartrix TX2.3 Speed _____	0,80	21.500	15 v.	310 gr.	190 ma.
Cartrix TX2.2 Gold _____	0,60	21.600	15 v.	330 gr.	220 ma.
Carrera Exclusiv _____	2,40	24.000	12 v.	320 gr.	230 ma.
Cursa Models MC 01 _____	8,00	25.000	14 v.	350 gr.	200 ma.
Fly Car Skorpion _____	8,00	21.000	15v.	270 gr.	270 ma.
Fly Car Rally _____	0,20	18.000	15 v.		100 ma.
Fly Car Evo _____	0,20	18.000	15 v.		100 ma.
Fly Car Evo2 _____	0,20	21.000	15 v.		180 ma.
Fly Car F1 _____	0,10	20.000	12 v.		100 ma.
Hobby Slot HRS4 _____	4,20	22.000	15 v.		
Hobby Slot HRS3 _____	0,40	23.000	15 v.		190 ma.
JPSlot _____	0,40	20.000	15 v.	360 gr.	145 ma.
MA 1R (Mini Auto) _____	0,30	23.000	14 v.	180 gr.	130 ma.
MB Slot UTA _____	21,00	18.000	12 v.		
MB Slot Sogna _____	10,70	23.000	12 v.		210 ma.
MB Slot Gnick 021 _____	7,60	21.000	12 v.	270 gr.	190 ma.
MB Slot Gnick 023 _____	7,60	23.000	12 v.	270 gr.	190 ma.
MSC Thunder _____	12,00	18.000	12 v.	320 gr.	250 ma.
MSC Thunder2 _____	7,50	21.000	12 v.	320 gr.	250 ma.
MSC 03Storm _____	6,00	20.500	12 v.	200 gr.	190 ma.
Ninco NC12 Crusher + _____	12,60	23.600	15 v.	270 gr.	190 ma.
Ninco NC10 Exceeder _____	10,90	26.000	15 v.	300 gr.	300 ma.
Ninco NC14 Speeder + _____	9,70	20.500	15 v.	280 gr.	175 ma.
Ninco NC-5 Speeder (2) _____	9,60	20.000	15 v.	290 gr.	190 ma.
Ninco NC-5 Prorace _____	6,20	20.000	15 v.	290 gr.	190 ma.
Ninco NC-5 Speeder (1) _____	5,80	20.000	15 v.	290 gr.	190 ma.
Ninco NC-6 Crusher _____	5,70	21.000	15 v.	350 gr.	190 ma.
NincoNC-6 Prorace _____	5,50	21.000	15 v.	350 gr.	190 ma.
NincoNC-7Raider _____	2,00	20.000	15 v.	265 gr.	140 ma.
Ninco NC-2 _____	0,30	18.000	15 v.	263 gr.	160 ma.

-MOTORES CAJA LARGA-(continuación)

	U.M.S	R.P.M.	Voltaje.	Par	Consumo
Ninco NC-3 Xtrem _____	0,20	21.000	15 v.	325 gr.	230 ma.
NSR King 21 Evo3 _____	12,00	21.400	12 v.	350 gr.	230 ma.
NSR King 21 Evo2 _____	9,50	21.400	12 v.	322 gr.	140 ma.
NSR King 25 _____	7,30	25.000	12 v.	270 gr.	230 ma.
NSR King 21 Evo _____	7,20	21.400	12 v.	320 gr.	140 ma.
NSR King 30 _____	7,30	30.000	12 v.	310 gr.	260 ma.
NSR King 46 _____	7,30	46.000	12 v.	310 gr.	260 ma.
Pink Kar Competi _____	0,40	21.500	15 v.	326 gr.	200 ma
Power Slot PS3 _____	8,00	25.000	14 v.	350 gr.	200 ma
Power Slot PS3 rojo _____	8,00	25.000	14 v.	350 gr.	200 ma.
Power Slot PS1 _____	4,20	20.000	14 v.		220 ma.
Power Slot (quad) _____	0,20	20.000	12 v.		120 ma.
Reprotec ASV3 _____	10,50	21.000	14 v.		210 ma.
Reprotec RT _____	0,30	15.000	14 v.	180 gr.	150 ma.
Reprotec RT10 _____	0,00	23.000	14 v.	180 gr.	132 ma.
SCX RH (bobina verde) _____	19,60	23.000	14 v.		320 ma.
SCX RH 1 _____	15,50	18.000	14 v.		230 ma.
SCX Pro turbo Plus _____	6,90	20.000	14 v.		260 ma.
SCX RX Standard _____	6,20	18.000	14 v.		220 ma.
SCX Pro turbo ind. corto _____	5,40	20.000	14 v.		230 ma.
Spirit XXX _____	10,50	25.000	14 v.		230 ma.
Spirit SX03 _____	0,30	21.000	14 v.		180 ma.
Slot it Flat 6 R _____	10,90	22.000	12 v.	220 gr.	200 ma.
Slot it Boxer 2/20H _____	10,50	21.500	12 v.	340 gr.	230 ma.
Slot it Flat 6 (caja abierta) _____	5,40	20.500	12 v.	200 gr.	180 ma.
Slot it Boxer 2/20C _____	4,80	21.500	12 v.	340 gr.	200 ma.
Slot it Flat 6 (caja cerrada) _____	1,40	20.500	12 v.	200 gr.	180 ma.
Sloting Speed2 _____	9,20	25.000	15 v.	230 gr.	220 ma.
Sloting Plus Rally _____	6,90	21.000	15 v.	180 gr.	250 ma.
Sloting Speed1 _____	6,30	25.000	15 v.	230 gr.	220 ma.
Scaleauto SC25(Sprinter) _____	9,20	21.500	12 v.	320 gr.	200 ma.
Scaleauto SC11b _____	5,00	20.000	12 v.	284 gr.	180 ma.
Scaleauto SC26(Sprinter) _____	4,00	22.000	12 v.	310 gr.	200 ma.
Scaleauto SC21(azul.Rodam.) _____	4,20	20.000	12 v.	250 gr.	200 ma.
Scaleauto SC13(negro) _____	2,90	30.000	12 v.	330 gr.	320 ma.
Scaleauto SC11(plata) _____	2,40	20.000	12 v.	260 gr.	210 ma.
Scaleauto SC26(Endurance) _____	0,30	22.000	12 v.	318 gr.	320 ma.
Scaleauto SC23(blanco) _____	0,60	10.000	12 v.	450 gr.	600 ma.
Scaleauto SC18(amarillo) _____	0,60	25.000	12 v.	90 gr.	160 ma.
Scaleauto SC19(negro) _____	0,60	30.000	12 v.	100 gr.	220 ma.
Scaleauto SC12(amarillo) _____	0,50	25.000	12 v.	280 gr.	250 ma
Team Slot TS1 _____	15,70	23.000	15 v.		300 ma.
Team Slot TS3Diablo _____	9,70	18.000	14 v.		250 ma.
Team Slot TS5 4XPower _____	9,10	20.000	14 v.		230 ma.
Team Slot TS4Inferno _____	8,90	20.000	14 v.		230 ma.
Team Slot TS11 Glory _____	8,50	25.000	14 v.	290 gr.	250 ma.
Team Slot TS10 Fire _____	5,10	20.000	12 v.		300 ma.

-MOTORES CAJA LARGA-(continuación)

	U.M.S	R.P.M.	Voltaje.	Par	Consumo
Team Slot TS7 Titan _____	2,50	21.000	14 v.	_____	180 ma.
Team Slot TS9 Space _____	0,40	25.000	14 v.	_____	180 ma.
Team Slot TS6 Racer _____			14 v.	_____	
Team Slot TS8 X Force _____			14 v.	_____	
Tecno toys Pro Speed _____	8,70	20.000	14 v.	_____	210 ma.
Tecno toys RX 4H _____	8,70	25.000	14 v.	_____	210 ma.
Tecno toys RX 44B _____	7,40	20.000	14 v.	_____	210 ma.
Tecno toys RX 4 _____	6,90	18.000	14 v.	_____	220 ma.
Tecno toys Pro Turbo _____	6,70	19.000	14 v.	_____	230 ma.
Tecno toys RX 41 _____	6,30	18.000	14 v.	_____	210 ma.
Tecno toys RX 81 _____	6,30	18.000	14 v.	_____	220 ma.
Tecno toys Pro Plus _____	5,90	20.000	14 v.	_____	230 ma.
Tecno toys Pro Plus 4x4 _____	5,90	20.000	14 v.	_____	230 ma.
Tecno toys RX 42B _____	7,00	20.000	14 v.	_____	230 ma.

-MOTORES CAJA CORTA-

	U.M.S	R.P.M.	Voltaje.	Par	Consumo
Auto Art _____	1,20	13.000	12 v.	_____	190 ma.
Avant Slot Mag Motor _____	44,00	25.000	12 v.	_____	240 ma.
Avant Slot Speed _____	11,00	25.000	12 v.	_____	240 ma.
Avant Slot Wizar _____	4,00	25.000	12 v.	_____	220 ma.
Avant Slot Hercules _____	3,00	27.000	12 v.	_____	180 ma.
Cartrix X-perimental _____	3,80	20.000	14 v.	130 gr.	220 ma.
Cartrix Leyends _____	3,80	20.000	14 v.	180 gr.	110 ma.
Cartrix FX Sport _____	2,40	17.000	14 v.	120 gr.	180 ma.
Cartrix TZ1 _____	1,40	13.000	14 v.	65 gr.	120 ma.
Cartrix TZ Race _____	0,00	26.000	14 v.	120 gr.	220 ma.
Cartrix SH Pro _____	0,00	30.000	14 v.	190 gr.	300 ma.
Carrera Standard _____	2,80	18.000	12 v.	_____	210 ma.
Fly Car Standard _____	1,40	18.000	15 v.	_____	190 ma.
Fly Car Slot Standar2 _____	0,00	30.000	15 v.	260 gr.	290 ma.
Hobby Slot HRS _____	0'20	19.000	15 v.	_____	100 ma.
MB Dodo _____	20,00	23.000	12 v.	270 gr.	120 ma.
MB Pippo _____	3,50	26.000	12 v.	300 gr.	120 ma.
MB Momo _____	9,00	23.000	12 v.	270 gr.	120 ma.
MB Krahs _____	4,50	23.000	12 v.	180 gr.	110 ma.
Ninco XL1 _____	20,50	26.000	15 v.	290 gr.	240 ma.
Ninco XL2 _____	20,50	28.000	15 v.	330 gr.	400 ma.
Ninco NK1(kart) _____	2,50	16.000	14 v.	_____	100 ma.
Ninco NC1 _____	1,10	16.000	14 v.	_____	100 ma.
Ninco NC8 Thurster _____	1,10	16.000	14 v.	_____	100 ma.
Ninco NC11 _____	1,10	16.000	15 v.	_____	100 ma.
Ninco NC13 _____	1,10	20.000	15 v.	135 gr.	155 ma.
Ninco NC9 Sparker _____	0,70	20.000	15 v.	145 gr.	125 ma.

-MOTORES CAJA CORTA-(continuación)

	U.M.S	R.P.M.	Voltaje.	Par	Consumo
NSR SHARK22 _____	4,50	22.400	12 v.	168 gr.	190 ma.
NSR SHARK25 _____	4,50	25.000	12 v.	176 gr.	190 ma.
NSR SHARK30 _____	4,50	30.000	12 v.	210 gr.	190 ma.
NSR SHARK40 _____	4,50	40.000	12 v.	205 gr.	190 ma.
NSR SHARK20 _____	4,30	20.000	12 v.	168 gr.	190 ma.
Pn Racing (Nasaka) _____	45,00	25.000	12 v.		240 ma.
Pn Racing (Misuwa) _____	2,60	25.000	12 v.		240 ma.
Pla Fit HIPPO _____		15.000	12/20 v.		500 ma.
Pla Fit BISON _____		20.000	12/20 v.		900 ma.
Pla Fit BISON II _____		26.000	20 v.		900 ma.
Pla Fit FOX 13D _____		25.000	12 v.		700 ma.
Pla Fit FOX II 13D _____		27.000	12 v.		900 ma.
Pla Fit CHEETAH 13D _____		30.000	12 v.		900 ma.
Pla Fit CHEETAH II 13D _____		35.000	12 v.		900 ma.
Profesor Motor PM1 _____		26.000	12 v.		
Profesor Motor Littel Ripper _____		37.000	12 v.		
Pro Slot(Evo3) _____	1,80	23.000	12 v.	100 gr.	220 ma.
Pro Slot(Evo2) _____	1,60	21.500	12 v.	80 gr.	210 ma.
Pro Slot(Evo1) _____	0,00	18.000	12 v.	40 gr.	110 ma.
Slot it V12 (rojo) _____	6,10	29.000	12 v.	160 gr.	230 ma.
Slot it V12 (naranja) _____	5,90	21.500	12 v.	170 gr.	210 ma.
Slot it V12 (amarillo) _____	5,80	25.000	12 v.	180 gr.	220 ma.
Slot it V12/2B _____	4,50	25.000	12 v.	180 gr.	220 ma.
Slot it V12/1B _____	3,50	25.000	12 v.	180 gr.	220 ma.
Slot it MX12 _____	3,50	19.500	12 v.	180 gr.	210 ma.
Scaleauto SC06(rojo) _____	5,60	30.000	12 v.	160 gr.	300 ma.
Scaleauto SC010b(Tech3) _____	4,50	30.000	12 v.	206 gr.	320 ma.
Scaleauto SC07(rojo) _____	4,40	35.000	12 v.	190 gr.	440 ma.
Scaleauto SC20(azul Rodam.) _____	4,40	20.000	12 v.	170 gr.	200 ma.
Scaleauto SC09(amarillo) _____	4,10	25.000	12 v.	170 gr.	260 ma.
Scaleauto SC10(negro) _____	3,00	30.000	12 v.	185 gr.	300 ma.
Scaleauto SC08(plata) _____	2,30	20.000	12 v.	170 gr.	210 ma.
Scaleauto SC05(rojo) _____	0,60	30.000	12 v.	280 gr.	420 ma.
Scaleauto SC14b _____	0,40	20.000	12 v.	205 gr.	210 ma.
Scaleauto SC14(plata) _____	0,30	20.000	12 v.	205 gr.	210 ma.
Scaleauto SC15(amarillo) _____	0,20	25.000	12 v.	230 gr.	290 ma.
Scaleauto SC15a _____	0,20	25.000	12 v.	225gr.	180 ma.
Scaleauto SC15b _____	0,20	25.000	12 v.	225gr.	180 ma.
Scaleauto SC16(negro) _____	0,00	30.000	12 v.	260 gr.	350 ma.
Superslot Sport _____	1,30	20.000	12 v.	80 gr.	120 ma.
Superslot Standard _____	1,10	18.000	12 v.	70 gr.	110 ma.
Sloter Standard _____	1,40	20.000	12 v.		220 ma.
Revell Standard _____	1,60	20.000	12 v.		110 ma.